


产品型号IPC-4600H



产品特性

- ▶ ATX with 7th/6th Gen Intel® Core™ Xeon/i7/i5/ i3 Pentium® /Celeron® Processor & Intel® C236/Q170/H110 for High-Performance Solution
- ▶ Intel® Kaby Lake-S/Skylake-S Series CPU to maximize performance
- ▶ 4 DDR4 2133MHz UDIMMs slots up to 64 GB memory
- ▶ Supports DisplayPort, DVI-D, dual Intel® GbE LAN and AMT 11.0
- ▶ 5 SATA 3.0, 1 mSATA, 6 COM, 6 USB 3.0, 6 USB 2.0
- ▶ 1 PCIe x 16, dual PCIe x 4 and 4 PCI Slots




技术参数

■ 产品型号		IPC-4600H
系统	CPU	7th/6th Gen Intel® Desktop Kaby Lake/ Skylake Xeon/ i7/i5/ i3/Pentium® / Celeron® Series Processor, Max 95W
	芯片组	Intel® C236/Q170/H110 for High-Performance Solution
	系统内存	4 x 288-pin UDIMMs Dual-channel DDR4 (ECC) 2133MHz Up to 64 GB(Intel® C236) 4 x 288-pin UDIMMs Dual-channel DDR4 (non ECC) 2133MHzUp to 64 GB(Intel® Q170) 2 x 288-pin UDIMMs Dual-channel DDR4 (non ECC) 2133MHzUp to 32 GB(Intel® H110)
	扩展	Intel® C236/Q170 1 * PCIe x16 /2 * PCIe x4 /4 * PCI /2*Mini-PCIE Intel® H110 1 * PCIe x4
	GPU&显卡	1*VGA up to 1920 x 1080 1*DVI-D up to 1920 x 1200 1*DP up to 4096 x 2304
	音频	Realtek® ALC887 High Definition Audio codec (Co-lay ALC888S) 1 * Line-In jack 1 * Line-Out jack 1 * Mic-In jack
	以太网	1 x Intel® I219-LM GbE LAN PHY (Support Intel® AMT 11) 1 x Intel® I210-AT GbE LAN
	存储	Intel® C236/Q170 5 x SATA 3.0 (Support RAID 0/1/5/10) Intel® H110 4 x SATA 3.0
	PS/2	1 x PS/2 port by Y-cable for keyboard and mouse
	USB接口	Intel® C236/Q170 6 x USB3.0 (4 x rear, 2 x internal) ;6 x USB2.0 (2 x rear, 4 x internal) Intel® H110 4 x USB3.0 (4 x rear) 4 x USB2.0 (2 x rear, 2 x internal)
	串口接口	6 x COM (COM1~6: internal) COM1~2: RS-232/422/485, 0V/5V/12V COM3~6: RS-232, 0V/5V/12V
	控制开关	1 * Power switch
	电源要求	ATX-Power 24P, 12V-8P
GPIO	8-bits (4 x GPI; 4 x GPO), 5V	


结构	操作系统	Windows 10 (64-bit) Windows 7 (32/64-bit) (Intel® Skylake-S Series CPU Only) Windows 8.1 (64-bit) (Intel® Skylake-S Series CPU Only)
	构造	SGCC箱体
	颜色	银色
	安装方式	上架式安装
	包装尺寸	483x480x177mm
	净重	15KG
	环境	工作温度
存储温度		-20 ~ 80°C
存储湿度		10 ~ 90%, non-condensing
振动		5grms/5~500Hz/随机/工作状态(SSD); 1grms/5~500Hz/随机/工作状态(HDD)
冲击		50g峰值加速度(持续11ms)(SSD); 20g峰值加速度(持续11ms)(HDD)
EMC/认证		质量管理体系符合GB/T19001-2016/ISO9001:2015/CE/CCC/FCC


■ 订购信息

IPC-4600H	IPC-4600H/C236-S001	Intel® C236 Core i3-6100/i3-7100 4*DDR4/1*DVI-D/1*VGA/2*Display/Port 1.2a/6*USB3.0/6*USB2.0/5*SATA3.0/1*mSATA/6*COM/2*GBE LAN/ATX 24pin POWER
	IPC-4600H/C236-S002	Intel® C236 Core i5-6500/i5-7500 4*DDR4/1*DVI-D/1*VGA/2*Display/Port 1.2a/6*USB3.0/6*USB2.0/5*SATA3.0/1*mSATA/6*COM/2*GBE LAN/ATX 24pin POWER
	IPC-4600H/C236-S003	Intel® C236 Core i7-6700/i7-7700 4*DDR4/1*DVI-D/1*VGA/2*Display/Port 1.2a/6*USB3.0/6*USB2.0/5*SATA3.0/1*mSATA/6*COM/2*GBE LAN/ATX 24pin POWER
	IPC-4600H/Q170-S001	Intel® Q170/Core i3-6100/i3-7100 4*DDR4/1*DVI-D/1*VGA/2*DisplayPort 1.2a/6*USB3.0/6*USB2.0/5*SATA3.0/1*mSATA/6*COM/2*GBE LAN/ATX 24pin POWER
	IPC-4600H/Q170-S002	Intel® Q170/Core i5-6500/i5-7500 4*DDR4/1*DVI-D/1*VGA/2*DisplayPort 1.2a/6*USB3.0/6*USB2.0/5*SATA3.0/1*mSATA/6*COM/2*GBE LAN/ATX 24pin POWER
	IPC-4600H/Q170-S003	Intel® Q170/Core i7-6700/i7-7700 4*DDR4/1*DVI-D/1*VGA/2*DisplayPort 1.2a/6*USB3.0/6*USB2.0/5*SATA3.0/1*mSATA/6*COM/2*GBE LAN/ATX 24pin POWER

	IPC-4600H/H110-S001	Intel® Q110 Core i3-6100/i3-7100/2*DDR4/1*DVI-D/1*VGA+2*DisplayPort 1.2a/4*USB3.0/4*USB2.0/4*SATA3.0/6*COM/2*GBE LAN/ATX 24pin POWER
	IPC-4600H/H110-S002	Intel® Q110 Core i5-6500/i5-7500/2*DDR4/1*DVI-D/1*VGA+2*DisplayPort 1.2a/4*USB3.0/4*USB2.0/4*SATA3.0/6*COM/2*GBE LAN/ATX 24pin POWER
	IPC-4600H/H110-S003	Intel® Q110 Core i7-6700/i7-7700/2*DDR4/1*DVI-D/1*VGA+2*DisplayPort 1.2a/4*USB3.0/4*USB2.0/4*SATA3.0/6*COM/2*GBE LAN/ATX 24pin POWER
供电	PA-250ATX	ADC110/220V宽范围，并且在DC90V~DC264V范围内正常工作
	PA-450ATX	ADC110/220V宽范围，并且在DC90V~DC264V范围内正常工作
	PA-550W冗余	AC INPUT/输入/输入：100-240V~7-3.5A 60/50Hz DC INPUT/输入/输入：240V=3.5A(仅限中国地区使用/Only in China)

外形尺寸



 **北京总部**

公司电话: +86(0)10 -82331878/82331875

服务热线: 400-800-1871

办公地址: 北京市海淀区双清路3号鸿运大厦1层31078室

工厂地址: 河北省廊坊市三河市燕郊开发区留山大街

创智谷产业园-1#地块-一期-4#-2-101

 了解更多信息: www.ipccore.com ,或发送邮件到: ipc@ipccore.com规格细节如有变更, 恕不另行通知
东方松柏科技(北京) 有限公司, 版权所有©2018